

Personal P	In	Information Network on Rare Cancers										
Part Common Control Common Part Common Control Common Contro		R=rare	<u> </u>		1 year			3 years				
R	Tier		Cancer Entity	N			N			N		
2 R Spannous cell caratineous with variants of made cards and stances 5,444 70% 1% 5,444 55% 1% 5,44 47% 1% 22 R Upufferentized carsionmus of nasal cards and sinuses 20 669 3% 20 42% 3% 23 31% 4% 9% 1% 24 6% 4% 6% 4% 1% 2% 2 2 2 8 1% 20 4% 4% 9% 9% 4% 4% 9% 9% 9% 23 2 2 2 8 Reprillability Life Control of Son												
2 R	1	R										
2 R Undifferentized caronoms of nasal caroy and sinues	2	R	1									
R	2	R	7 1 1	_								
1 R EHTHELIAM TUNGURS OF NASOPHARYNX 2,18 700 170 2,104 500 170	2	R	,									
2 R Suamous cell carcinoms with variants of ansopharytx 1,786 1,776 1,786	2	R	71									
2 R Popular schemocarcinourum of necopharyrs 6 101% 10% 6 104% 0% 6 71% 20% 72% 72%	1	R										
R	2	R	1 7	1,780			1,780			1,780		
2 R Paphikal numours of major salvary glands 14,705 879 076 14,701 6675 17	2	R	1 /	6			6			Ü		
2 R Salvary gland type tumours of head and neck 6,683 86% 60% 6,688 74% 1% 6,688 6,67% 1% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 6,688 74% 1% 74%	1	R	,									
C PITHELIAL TUMOURS OF HYPOPHAKYNX AND LARYNX 96,739 59% 0% 96,739 59% 0% 96,739 52% 0% 78	2	R	1 , , , , ,	14,703			14,703			14,703		
2 R Squamous cell carcinoma with variants of pypopharymx 19,878 62% 0% 19,878 33% 0% 19,878 25% 0% 19,878 27% 0% 19,878 33% 0% 19,878 25% 0% 19,878 27% 0% 19,878 27% 0% 19,878 33% 0% 33% 33% 0% 33% 33% 0% 33%	2	R	70 71	6,683	86%	0%	6,683	74%	1%	6,683	67%	1%
2 R Suamous cell carcinoma with variants of largyx 71,928 84% 0% 71,928 64% 0% 71,928 64% 0% 71,928 64% 0% 71,928 64% 0% 71,928 64% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 50,843 44% 0% 73,101 5% 60% 73,101 5% 60% 73,101 5% 60% 73,101 5% 6% 73,101 5% 6% 73,101 5% 6% 73,101 5% 6% 73,101 5% 6% 73,101 5% 6% 54,229 7% 6% 54,229 4% 6% 54,229 4% 6% 52,229 1% 6% 50,229 1% 6%	1	С	EPITHELIAL TUMOURS OF HYPOPHARYNX AND LARYNX	96,739		0%	,				52%	0%
R	2	R	Squamous cell carcinoma with variants of hypopharynx	19 , 878	62%	0%	19,878	33%	0%	19,878	25%	0%
R Squamous cell carcinoma with variants of oropharyms	2	R	Squamous cell carcinoma with variants of larynx	71,928	84%	0%	71,928	68%	0%	71,928	61%	0%
R EPITHELIALTUNOURS OF ORAL CAVITY AND LIP 73,101 79% 73,101 62% 73,101 57% 75	1	R	EPITHELIAL TUMOURS OF OROPHARYNX	50,843	71%	0%	50,843	48%	0%	50,843	41%	0%
2 R Squamous cell carcinoma with variants of oral cavity 54,229 75% 0% 54,229 48% 0% 2 R Squamous cell carcinoma with variants of lip 15,899 98% 0% 15,899 92% 0% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,899 90% 15,250 10% 0% 51,250 10% 0% 51,250 10% 0% 51,250 10% 0% 51,250 10% 0% 51,250 11% 0% 51,250 14% 0% 51,250 19% 0% 51,250 11% 0% 51,250 14% 0% 51,250 19% 0% 51,250 11% 0% 51,250 11% 0% 51,250 12% 11%	2	R	Squamous cell carcinoma with variants of oropharynx	48,401	71%	0%	48,401	49%	0%	48,401	41%	0%
2 R Squamous cell carcinoma with variants of lip 15,899 98% 0% 15,899 92% 0% 115,899 90% 170 C EPITHELIAL TUMOURS OF OESOPHAGUS 119,522 37% 0% 119,522 16% 0% 19,522 12% 0% R Squamous cell carcinoma with variants of cosophagus 53,225 38% 0% 53,225 15% 0% 53,225 12% 07% R Adenocarcinoma with variants of cosophagus 51,250 44% 0% 53,225 12% 07% R Salivary gland type tumours of oesophagus 51,250 44% 0% 51,250 19% 0% 51,250 14% 0% R Obdifferentiated carcinoma of oesophagus 712 28% 2% 712 10% 1% 712 7% 17% R Obdifferentiated carcinoma of oesophagus 712 28% 2% 712 10% 1% 712 7% 17% R Obdifferentiated carcinoma of oesophagus 712 28% 2% 712 10% 1% 712 7% 17% R Obdifferentiated carcinoma with variants of stomach 258,890 44% 0% 258,890 25% 0% 258,590 21% 0% R Squamous cell carcinoma with variants of stomach 18,000 35% 1% 18,000 21% 1% 1,800 23% 0% R Squamous cell carcinoma with variants of stomach 19,000 35% 1% 18,000 11,544 27% 1% 1,800 28% 1% R Obdifferentiated carcinoma with variants of stomach 19,000 35% 1% 1,900 21% 1% 1,800 23% 0% R Obdifferentiated carcinoma with variants of stomach 1,154 1,1	1	R	EPITHELIAL TUMOURS OF ORAL CAVITY AND LIP	73,101	79%	0%	73,101	62%	0%	73,101	57%	0%
C EPITHELAL TUMOURS OF OESOPHAGUS 119,522 39% 0% 119,522 16% 0% 119,522 12% 0% 28 8 Squamous cell carcinoma with variants of oesophagus 53,225 38% 0% 53,225 12% 0% 0% 53,225 12% 0% 0% 0% 53,225 12% 0% 0% 0% 0% 0% 0% 0%	2	R	Squamous cell carcinoma with variants of oral cavity	54,229	75%	0%	54,229	55%	0%	54,229	48%	0%
2 R Squamous cell carcinoma with variants of oesophagus 53,225 38% 0% 53,225 15% 0% 53,225 12% 0% 0% 28 R Adenocarcinoma with variants of oesophagus 51,250 44% 0% 51,250 19% 0% 51,250 14% 0% 0% 28 R Salivary gland type tumours of oesophagus 64 49% 6% 64 18% 5% 64 14% 0% 0% 288,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 258,590 28% 0% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0% 28% 0% 28% 0% 28% 28% 0% 28% 28% 0% 28% 28% 0%	2	R	Squamous cell carcinoma with variants of lip	15,899	98%	0%	15,899	92%	0%	15,899	90%	1%
2 R Adenocarcinoma with variants of oesophagus 51,250 44% 0% 51,250 19% 0% 51,250 14% 0% 2 R Salivary gland type turnours of oesophagus 64 49% 6% 64 18% 5% 64 14% 5% 2 R Undifferentiated carcinoma of oesophagus 772 28% 22% 772 110% 11% 712 7% 13% 1 C EPITHELIAL TUMOURS OF STOMACH 258,590 44% 0% 228,590 25% 0% 258,590 21% 0% 2 C Adenocarcinoma with variants of stomach 21,604 47% 0% 221,604 23% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% 258,590 25% 0% <td>1</td> <td>С</td> <td>EPITHELIAL TUMOURS OF OESOPHAGUS</td> <td>119,522</td> <td>39%</td> <td>0%</td> <td>119,522</td> <td>16%</td> <td>0%</td> <td>119,522</td> <td>12%</td> <td>0%</td>	1	С	EPITHELIAL TUMOURS OF OESOPHAGUS	119,522	39%	0%	119,522	16%	0%	119,522	12%	0%
2 R Salivary gland type tumours of oesophagus 64 49% 6% 64 18% 5% 64 14% 5% 2 R Undifferentiated carcinoma of oesophagus 712 28% 2% 712 10% 1% 712 17% 19% 1% 17% 19% 28,500 28% 2% 712 10% 1% 77% 19% 19% 28,500 28% 0% 28,500 22% 0% 28,500 22% 0% 28,500 22% 0% 28,500 22% 0% 28,500 22% 0% 28,500 22% 0% 28,500 24% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 27% 0% 221,604 </td <td>2</td> <td>R</td> <td>Squamous cell carcinoma with variants of oesophagus</td> <td>53,225</td> <td>38%</td> <td>0%</td> <td>53,225</td> <td>15%</td> <td>0%</td> <td>53,225</td> <td>12%</td> <td>0%</td>	2	R	Squamous cell carcinoma with variants of oesophagus	53,225	38%	0%	53,225	15%	0%	53,225	12%	0%
R Undifferentiated carcinoma of oesophagus 712 28% 2% 712 10% 11% 712 7% 11% 10	2	R	Adenocarcinoma with variants of oesophagus	51,250	44%	0%	51,250	19%	0%	51,250	14%	0%
C EPITHELIAL TUMOURS OF STOMACH 258,590 44% 0% 258,590 25% 0% 258,590 21% 0% 0% 221,604 27% 0% 221,604 23% 0% 221,604 27% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 25% 0% 221,604 23% 0% 228,590 23%	2	R	Salivary gland type tumours of oesophagus	64	49%	6%	64	18%	5%	64	14%	5%
2 C Adenocarcinoma with variants of stomach 221,604 47% 0% 221,604 27% 0% 221,604 23% 0% 2 R Squamous cell carcinoma with variants of stomach 1,800 35% 1% 1,800 21% 1,800 18% 1% 2 R Squamous cell carcinoma with variants of stomach 40 54% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 8% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 28% 40 21,54 27%	2	R	Undifferentiated carcinoma of oesophagus	712	28%	2%	712	10%	1%	712	7%	1%
2 R Squamous cell carcinoma with variants of stomach 1,800 35% 1% 1,800 21% 1,800 18% 11% 2 R Salivary gland-type tumours of stomach 40 54% 8% 40 28% 8% 40 25% 9% 2 R Undifferentiated carcinoma of stomach 3,317 31% 1% 3,317 17% 13,317 15% 1% 2 R Undifferentiated carcinoma of stomach 3,317 31% 1% 3,317 17% 13,317 15% 1% 2 R EPITHELIAL TUMOURS OF SMALL INTESTINE 11,544 51% 0% 11,544 32% 0% 11,544 27% 1% 9,193 33% 1% 9,193 38% 5% 11% 9,193 38% 1% 9,193 38% 5% 11% 9,193 38% 5% 11% 9,193 38% 5% 11% 9,193 38% 5% 11% 9,193 <	1	С	EPITHELIAL TUMOURS OF STOMACH	258,590	44%	0%	258,590	25%	0%	258,590	21%	0%
2 R Salivary gland-type tumours of stomach 40 54% 8% 40 28% 8% 40 25% 9% 2 R Undifferentiated carcinoma of stomach 3,317 31% 1% 3,317 17% 1% 3,317 15% 1% 1 R EPITHELIAL TUMOURS OF SMALL INTESTINE 11,544 51% 0% 11,544 32% 0% 11,544 27% 1% 2 R Adenocarcinoma with variants of small intestine 9,193 54% 1% 9,193 33% 1% 9,193 28% 1% 1 C EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 6% 0% 666,150 54% 0% 2 C Adenocarcinoma with variants of colon 664,459 79% 0% 664,150 6% 0% 664,150 5% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42%	2	С	Adenocarcinoma with variants of stomach	221,604	47%	0%	221,604	27%	0%	221,604	23%	0%
2 R Undifferentiated carcinoma of stomach 3,317 31% 1% 3,317 17% 1% 3,317 15% 1% 1 R EPITHELIAL TUMOURS OF SMALL INTESTINE 11,544 51% 0% 11,544 32% 0% 11,544 27% 1% 2 R Adenocarcinoma with variants of small intestine 9,193 54% 1% 9,193 33% 1% 9,193 28% 1% 2 R Squamous cell carcinoma with variants of small intestine 133 53% 4% 133 38% 5% 9,193 28% 1% 2 R Squamous cell carcinoma with variants of small intestine 133 53% 4% 133 38% 5% 133 35% 5% 2 R EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 6% 0% 666,150 5% 0% 666,150 6% 0% 604,459 7% 0% 604,459 7% 0%	2	R	Squamous cell carcinoma with variants of stomach	1,800	35%	1%	1,800	21%	1%	1,800	18%	1%
1 R EPITHELIAL TUMOURS OF SMALL INTESTINE 11,544 51% 0% 11,544 32% 0% 11,544 27% 1% 2 R Adenocarcinoma with variants of small intestine 9,193 54% 1% 9,193 33% 1% 9,193 28% 1% 2 R Squamous cell carcinoma with variants of small intestine 133 53% 4% 133 38% 5% 133 35% 5% 1 C EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 60% 0% 666,150 54% 0% 2 C Adenocarcinoma with variants of colon 604,459 79% 0% 604,459 64% 0% 604,459 58% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 37% 3% 2 R Fibromixoma and low grade mucinous adenocarcinoma of the appendix 1,680 88% 1% </td <td>2</td> <td>R</td> <td>Salivary gland-type tumours of stomach</td> <td>40</td> <td>54%</td> <td>8%</td> <td>40</td> <td>28%</td> <td>8%</td> <td>40</td> <td>25%</td> <td>9%</td>	2	R	Salivary gland-type tumours of stomach	40	54%	8%	40	28%	8%	40	25%	9%
2 R Adenocarcinoma with variants of small intestine 9,193 54% 1% 9,193 33% 1% 9,193 28% 1% 2 R Squamous cell carcinoma with variants of small intestine 133 53% 4% 133 38% 5% 133 35% 5% 1 C EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 60% 0% 666,150 54% 0% 2 C Adenocarcinoma with variants of colon 604,459 79% 0% 604,459 64% 0% 604,459 58% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% 395 3% <	2	R	Undifferentiated carcinoma of stomach	3,317	31%	1%	3,317	17%	1%	3,317	15%	1%
2 R Squamous cell carcinoma with variants of small intestine 133 53% 4% 133 38% 5% 133 35% 5% 1 C EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 6% 0% 666,150 54% 0% 2 C Adenocarcinoma with variants of colon 604,459 79% 0% 604,459 64% 0% 604,459 58% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 3% 395 3% 395 42% 3% 395 3% 3% 395 3% 395 42% 3% 395 3% 395 42% 3% 395 3% 395 42% 3% 395 3% 395 42% 3% 395 3% 395 4% 0% 2% 2% 2% 2% 2% 2% 2% 2%	1	R	EPITHELIAL TUMOURS OF SMALL INTESTINE	11,544	51%	0%	11,544	32%	0%	11,544	27%	1%
1 C EPITHELIAL TUMOUR OF COLON 666,150 74% 0% 666,150 60% 0% 666,150 54% 0% 2 C Adenocarcinoma with variants of colon 604,459 79% 0% 604,459 64% 0% 604,459 58% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 3% 3% 395 3% 3% 395 3% 3% 395 3% 3% 3% 395 3% 3% 395 3% 3% 395 3% 3% 3% 395 3%	2	R	Adenocarcinoma with variants of small intestine	9,193	54%	1%	9,193	33%	1%	9,193	28%	1%
2 C Adenocarcinoma with variants of colon 604,459 79% 0% 604,459 64% 0% 604,459 58% 0% 2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 3% 3% 395 42% 3% 395 3% 3% 3% 395 42% 3% 395 3% 3% 3% 395 42% 3% 395 3% 3% 3% 395 42% 3% 395 3% 3% 395 42% 3% 395 3% 3% 3% 395 42% 3% 395 3%	2	R	Squamous cell carcinoma with variants of small intestine	133	53%	4%	133	38%	5%	133	35%	5%
2 R Squamous cell carcinoma with variants of colon 395 55% 3% 395 42% 3% 395 3% 395 42% 3% 395 37% 3% 2 R Fibromixoma and low grade mucinous adenocarcinoma of the appendix 1,680 88% 1% 1,680 69% 1% 1,680 59% 2% 1 C EPITHELIAL TUMOURS OF RECTUM 277,795 79% 0% 277,795 62% 0% 277,795 54% 0% 2 C Adenocarcinoma with variants of rectum 258,469 82% 0% 258,469 64% 0% 258,469 56% 0% 2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% <t< td=""><td>1</td><td>С</td><td>EPITHELIAL TUMOUR OF COLON</td><td>666,150</td><td>74%</td><td>0%</td><td>666,150</td><td>60%</td><td>0%</td><td>666,150</td><td>54%</td><td>0%</td></t<>	1	С	EPITHELIAL TUMOUR OF COLON	666,150	74%	0%	666,150	60%	0%	666,150	54%	0%
2 R Fibromixoma and low grade mucinous adenocarcinoma of the appendix 1,680 88% 1% 1,680 69% 1% 1,680 59% 2% 1 C EPITHELIAL TUMOURS OF RECTUM 277,795 79% 0% 277,795 62% 0% 277,795 54% 0% 2 C Adenocarcinoma with variants of rectum 258,469 82% 0% 258,469 64% 0% 258,469 56% 0% 2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	2	С	Adenocarcinoma with variants of colon	604,459	79%	0%	604,459	64%	0%	604,459	58%	0%
1 C EPITHELIAL TUMOURS OF RECTUM 277,795 79% 0% 277,795 62% 0% 277,795 54% 0% 2 C Adenocarcinoma with variants of rectum 258,469 82% 0% 258,469 64% 0% 258,469 56% 0% 2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	2	R	Squamous cell carcinoma with variants of colon	395	55%	3%	395	42%	3%	395	37%	3%
2 C Adenocarcinoma with variants of rectum 258,469 82% 0% 258,469 64% 0% 258,469 56% 0% 2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	2	R	Fibromixoma and low grade mucinous adenocarcinoma of the appendix	1,680	88%	1%	1,680	69%	1%	1,680	59%	2%
2 C Adenocarcinoma with variants of rectum 258,469 82% 0% 258,469 64% 0% 258,469 56% 0% 2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	1	С	EPITHELIAL TUMOURS OF RECTUM	277,795	79%	0%	277,795	62%	0%	277,795	54%	0%
2 R Squamous cell carcinoma with variants of rectum 1,777 72% 1% 1,777 53% 1% 1,777 47% 1% 1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	2	C	Adenocarcinoma with variants of rectum									
1 R EPITHELIAL TUMOURS OF ANAL CANAL 18,020 81% 0% 18,020 63% 0% 18,020 56% 0% 2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	2	R										
2 R Squamous cell carcinoma with variants of anal canal 12,847 86% 0% 12,847 69% 0% 12,847 63% 1%	1	R	1	,								
= = 1	2	R						<u> </u>				
	2	R	1									

C	2	R	Paget's disease of anal canal	21	95%	7%	21	88%	11%	21	63%	16%
No. Separation of pasterinas of pasterinas 167 167 276 147 77 17 17 17 17 17 1	1	С	EPITHELIAL TUMOURS OF PANCREAS	183,695	20%	0%	183,695	6%	0%	183,695	4%	0%
R	2	С	Adenocarcinoma with variants of pancreas	119,154	23%	0%	119,154	6%	0%	119,154	4%	0%
R	2	R	Squamous cell carcinoma with variants of pancreas	347	16%	2%	347	7%	1%	347	6%	1%
R	2	R	Acinar cell carcinoma of pancreas	427	49%	2%	427	27%	2%	427	19%	2%
R	2	R	Mucinous cystadenocarcinoma of pancreas	106	61%	5%	106	38%	5%	106	36%	6%
R	2	R	Intraductal papillary mucinous carcinoma invasive of pancreas	171	63%	4%	171	40%	4%	171	32%	5%
R	2	R	Solid pseudopapillary carcinoma of pancreas	42	80%	6%	42	72%	8%	42	68%	9%
C Institution of the proceedings control of the process and IST 44,896 499, 073 48,996 419, 073 419, 07	2	R	Serous cystadenocarcinoma of pancreas	4	76%	22%	4	78%	23%	4	+	+
R	2	R	Carcinoma with osteoclast-like giant cells of pancreas	19	49%	12%	19	14%	10%	19	+	+
R	1	C	EPITHELIAL TUMOURS OF LIVER AND INTRAEPATIC BILE TRACT (IBT)	98,765	32%	0%	98,765	15%	0%	98,765	10%	0%
No. Colongo carcinoma of BET	2	R	Hepatocellular carcinoma of Liver and IBT	46,896	40%	0%	46,896	21%		46,896	14%	0%
No. Adenocarcinous with variants of liver and IBT 219 1076 229 219 279	2	R	*	390	62%	3%	390	39%		390	28%	3%
X	2	R	8	13,845		0%	13,845	9%		13,845	6%	0%
R Segamous cell carcinoms with variants of liver and IBT	2	R		6,311			6,311			,		
R Blade thet systadenocarinoma of IBT 34 64% 9% 34 37% 9% 41 24% 9%	2	R					219					
R	2	R										
R Adenocarcinoma with variants of gallbladder 20,338 35% 60% 20,338 18% 60% 20,338 18% 60% 20,338 15% 60% 20,244 27% 60% 22,224 22,224 22	2	R	1									
R Adenocarcinoma with variants of EBT 22,234 49% 0% 22,234 25% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 22,234 19% 0% 0% 0% 0% 0% 0% 0%	1	R	\ /							,		
R	2	R	0									
R PPTHELIAL TUMOUR OF TRACHEA 1,697 39% 19% 1,697 23% 19% 1,607 18% 19% 19% 1,607 18% 19% 19% 1,607 18% 19% 1,607 18% 19% 1,607 18% 19% 1,608 13% 44% 15% 20% 39% 15% 1,008 12% 19% 1,008 12% 19% 1,008 12% 19% 1,008 12% 19% 1,008 12% 19% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 12% 1,008 1,	2								-	,		
2 R Squamous cell carcinoma with variants of trachea 1,008 37% 2% 1,008 17% 1% 1,008 12% 1% 2 R Adenocarcinoma with variants of trachea 158 31% 4% 158 20% 3% 158 16% 3% 1	2	R	1 0									
R Adenocarcinoma with variants of trachea 1158 31% 4% 158 20% 35% 116% 33% 27% 35% 174 70% 45% 27% 35% 174 70% 45% 35% 174 70% 45% 45% 35% 174 70% 45%	1	R								,		
2 R Salivary gland type tumours of traches 174 89% 3% 174 79% 4% 174 79% 4% 174 79% 4% 174 79% 4% 176 79% 4% 176 4% 176 4% 176 5% 19% 0% 186,985 10% 0% 190,051 14% 0% 190,051 18% 0% 190,051 14% 0% 193,851 10% 0% 190,051 14% 0% 193,851 20% 193,851 10% 0% 190,051 14% 0% 193,851 22% 10% 20% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 193,851 10% 0% 10% 10% 10% 10% 10% 10% 10% 10% 10% 10%	2	10	1							,		
C EPITHELIAL TUMOUR OF LUNG	2	10										
2 C. Squamous cell carcinoma with variants of lung 190,051 43% 0% 190,051 18% 0% 190,051 14% 0% 2 C. Adenocarcinoma with variants of lung 173,385 44% 0% 179,385 22% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 179,385 10% 0% 10% 4,566 22% 10% 4,566 22% 40% 0% 59,332 18% 0%	2	R	, 0 ,1									
2 C Adenocarcinoma with variants of lung 179,385 44% 0% 179,385 22% 0% 179,385 16% 0% 2 R Adenosquamous carcinoma of lung 4,566 52% 1% 4,566 28% 1% 4,566 22% 22% 26% 22% 26% 22% 2	1	С								,		
Z R Adenosquamous carcinoma of lung 4,566 52% 1% 4,566 28% 1% 4,566 22% 1% 2 R Large cell carcinoma of lung 59,332 40% 0% 59,332 18% 0% 69,332 14% 0% 59,332 18% 0% 69,332 14% 0% 121,904 31% 0% 121,904 8% 0% 121,904 6% 0% 2% 866 46% 0% 0% 0% 2% 866 46% 2% 866 46% 2% 866 46% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 886 40% 2% <td>2</td> <td>C</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>,</td> <td></td> <td></td>	2	C								,		
2 R	2	С	Ü									
Z C Poorly differentiated endocrine carcinoma of lung 121,904 31% 0% 121,904 8% 0% 121,904 6% 0% 2 R Salivary gland type tumours of lung 866 62% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 866 40% 2% 88 88 11% 3,183 37% 1% 3,183 18% 1% 2,729 44% 11% 3,183 18% 1% 2,729 44% 11% 4 2,248 4% 11% 2,729 44% 11% 2,729 44% 11% 2,729 44% 11% 2,729 <t< td=""><td>2</td><td></td><td>1 0</td><td></td><td></td><td></td><td>,</td><td></td><td></td><td>,</td><td></td><td></td></t<>	2		1 0				,			,		
2 R Salivary gland type tumours of lung 866 62% 2% 866 46% 2% 866 40% 2% 2 R Saccomatoid carcinoma of lung 3,183 37% 1% 3,183 21% 1% 3,183 18% 1% 1 R EPITHELIAL TUMOURS OF THYMUS 2,729 84% 1% 2,729 71% 1% 2,729 64% 1% 2 R Malignant thymoma 2,248 87% 1% 2,248 69% 1% 2 R Squamous cell carcinoma of thymus 112 78% 4% 112 51% 5% 112 40% 6% 2 R Undifferentiated carcinoma of thymus 11 74% 44% 112 51% 5% 112 40% 6% 2 R Undifferentiated carcinoma of thymus 11 74% 14% 11 53% 6 17% 74 36 13% 7%	2	R	ė ė									
2 R Sarcomatoid carcinoma of lung 3,183 37% 1% 3,183 21% 1% 3,183 1% 1% 1% 1% 2,729 84% 1% 2,729 64% 1% 2,729 64% 1% 2,729 71% 1% 2,729 64% 1% 2,248 87% 1% 2,248 76% 1% 2,248 69% 1% 2 8 Malignant thymoma 2,248 87% 1% 2,248 76% 1% 2,248 69% 1% 2 8 Squamous cell carcinoma of thymus 2,248 87% 1% 2,248 69% 1% 2 8 Undifferentiated carcinoma of thymus 36 56% 8% 36 17% 7% 36 13% 7% 1 2 R Lymphoepithelial carcinoma of thymus 36 56% 8% 36 17% 7% 36 13% 7% 1 2 R A Cancocarcinoma with variants of thymus 11 11	2	C								-		
R EPITHELIAL TUMOURS OF THYMUS 2,729 84% 1% 2,729 71% 1% 2,729 64% 1% 2 R Malignant thymoma 2,248 87% 1% 2,248 76% 1% 2,248 69% 1% 2 R Squamous cell carcinoma of thymus 112 78% 4% 112 51% 55% 112 40% 66% 8 36 17% 7% 36 13% 36 13% 38 38 38 38 38 38 38	2		, , , ,									
2 R Malignant thymoma 2,248 87% 1% 2,248 76% 1% 2,248 69% 1% 2 R Squamous cell carcinoma of thymus 112 78% 4% 112 51% 5% 112 40% 6% 2 R Undifferentiated carcinoma of thymus 36 56% 8% 36 17% 7% 36 13% 7% 2 R Lymphoepithelial carcinoma of thymus 11 74% 14% 11 53% 17% 17% 11 55% 18% 2 R Lymphoepithelial carcinoma of thymus 11 74% 14% 11 53% 17% 11 55% 18% 2 R Adenocarcinoma of thymus 44 83% 6% 44 57% 8% 44 37% 10% 1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% <td>2</td> <td></td> <td>e e</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	2		e e									
2 R Squamous cell carcinoma of thymus 112 78% 4% 112 51% 5% 112 40% 6% 2 R Undifferentiated carcinoma of thymus 36 56% 8% 36 17% 7% 36 13% 7% 2 R Lymphoepithelial carcinoma of thymus 11 74% 14% 11 55% 17% 11 55% 18% 2 R Adenocarcinoma with variants of thymus 44 83% 6% 44 57% 8% 44 37% 10% 1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 95% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195 88% 0% 1,026,195	2											
2 R Undifferentiated carcinoma of thymus 36 56% 8% 36 17% 7% 36 13% 7% 2 R Lymphoepithelial carcinoma of thymus 11 74% 14% 11 53% 17% 11 55% 18% 2 R Adenocarcinoma with variants of thymus 44 83% 6% 44 57% 8% 44 37% 10% 1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 95% 0% 1,026,195 88% 0% 1,026,195 83% 0% 2 C Invasive ductal carcinoma of breast 723,998 97% 0% 723,998 91% 0% 723,998 85% 0% 2 C Invasive ductal carcinoma of breast 120,973 97% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1%	2	R D	8 7									
2 R Lymphoepithelial carcinoma of thymus 11 74% 14% 11 55% 18% 2 R Adenocarcinoma with variants of thymus 44 83% 6% 44 57% 8% 44 37% 10% 1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 95% 0% 1,026,195 88% 0% 1,026,195 83% 0% 2 C Invasive ductal carcinoma of breast 723,998 97% 0% 723,998 91% 0% 723,998 85% 0% 2 C Invasive lobular carcinoma of breast 120,973 97% 0% 120,973 92% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Mammary Paget's disease of breast 47,974 99% 0% 47,974 97% 0% 47,974 97% 0% 47,974 95% 0% 6,508 86% 1% 2	2	D.	1									
2 R Adenocarcinoma with variants of thymus 44 83% 6% 44 57% 8% 44 37% 10% 1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 95% 0% 1,026,195 88% 0% 1,026,195 83% 0% 2 C Invasive ductal carcinoma of breast 723,998 97% 0% 723,998 91% 0% 723,998 85% 0% 2 C Invasive ductal carcinoma of breast 120,973 97% 0% 120,973 92% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type	2	R										
1 C EPITHELIAL TUMOURS OF BREAST 1,026,195 95% 0% 1,026,195 88% 0% 1,026,195 83% 0% 2 C Invasive ductal carcinoma of breast 723,998 97% 0% 723,998 91% 0% 723,998 85% 0% 2 C Invasive lobular carcinoma of breast 120,973 97% 0% 120,973 92% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93%	2	D	7 1 1									
2 C Invasive ductal carcinoma of breast 723,998 97% 0% 723,998 91% 0% 723,998 85% 0% 2 C Invasive lobular carcinoma of breast 120,973 97% 0% 120,973 92% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1%<	1	C	7									
2 C Invasive lobular carcinoma of breast 120,973 97% 0% 120,973 92% 0% 120,973 86% 0% 2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% <td>2</td> <td>C</td> <td></td> <td></td> <td></td> <td></td> <td>/ /</td> <td></td> <td></td> <td>, ,</td> <td></td> <td></td>	2	C					/ /			, ,		
2 R Mammary Paget's disease of breast 6,508 98% 0% 6,508 91% 1% 6,508 86% 1% 2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	C								,		
2 R Special types of adenocarcinoma of breast 47,974 99% 0% 47,974 97% 0% 47,974 95% 0% 2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	R								,		
2 R Metaplastic carcinoma of breast 1,583 89% 1% 1,583 72% 1% 1,583 65% 2% 2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	R	7 8									
2 R Salivary gland type tumours of breast 870 98% 1% 870 93% 1% 870 91% 2% 2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	10	1 71							,		
2 R Epithelial tumour of male breast 7,882 91% 0% 7,882 84% 1% 7,882 77% 1% 1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	R	-							,		
1 C EPITHELIAL TUMOURS OF CORPUS UTERI 175,761 91% 0% 175,761 83% 0% 175,761 79% 0%	2	R	, 0 ,1									
2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1	С	1									
	2	С								,		

2	R	Squamous cell carcinoma with variants of corpus uteri	989	79%	1%	989	65%	2%	989	58%	2%
2	R	Adenoid cystic carcinoma of corpus uteri	5	102%	0%	5	63%	23%	5	64%	23%
2	R	Clear cell adenocarcinoma, not otherwise specified of corpus uteri	2,532	83%	1%	2,532	65%	1%	2,532	59%	1%
2	R	Serous (papillary) carcinoma of corpus uteri	1,225	82%	1%	1,225	50%	2%	1,225	40%	2%
2	R	Mullerian mixed tumour of corpus uteri	6,263	67%	1%	6,263	42%	1%	6,263	37%	1%
1	С	EPITHELIAL TUMOURS OF CERVIX UTERI	96,821	85%	0%	96,821	70%	0%	96,821	65%	0%
2	R	Squamous cell carcinoma with variants of cervix uteri	73,810	87%	0%	73,810	72%	0%	73,810	67%	0%
2	R	Adenocarcinoma with variants of cervix uteri	14,221	86%	0%	14,221	72%	0%	14,221	67%	0%
2	R	Undifferentiated carcinoma of cervix uteri	478	57%	2%	478	39%	2%	478	35%	2%
2	R	Mullerian mixed tumour of cervix uteri	256	58%	3%	256	38%	3%	256	34%	3%
1	С	EPITHELIAL TUMOUR OF OVARY AND FALLOPPIAN TUBE	141,240	70%	0%	141,240	47%	0%	141,240	37%	0%
2	R	Adenocarcinoma with variants of ovary	92,814	76%	0%	92,814	50%	0%	92,814	39%	0%
2	R	Mucinous adenocarcinoma of ovary	12,010	77%	0%	12,010	64%	0%	12,010	60%	1%
2	R	Clear cell adenocarcinoma of ovary	4,761	83%	1%	4,761	63%	1%	4,761	55%	1%
2	R	Primary peritoneal serous/papillary carcinoma of ovary	1,280	76%	1%	1,280	36%	2%	1,280	22%	2%
2	R	Mullerian mixed tumour of ovary	2,242	56%	1%	2,242	29%	1%	2,242	21%	1%
2	R	Adenocarcinoma with variant of falloppian tube	2,672	92%	1%	2,672	72%	1%	2,672	59%	1%
1	R	NON EPITHELIAL TUMOURS OF OVARY	3,970	91%	0%	3,970	85%	1%	3,970	82%	1%
2	R	Sex cord tumours of ovary	1,998	91%	1%	1,998	84%	1%	1,998	79%	1%
2	R	Malignant/Immature teratomas of ovary	829	90%	1%	829	85%	1%	829	83%	1%
2	R	Germ cell tumour of ovary	1,143	93%	1%	1,143	89%	1%	1,143	87%	1%
1	R	EPITHELIAL TUMOURS OF VULVA AND VAGINA	30,238	79%	0%	30,238	63%	0%	30,238	58%	0%
2	R	Squamous cell carcinoma with variants of vulva and vagina	26,277	80%	0%	26,277	64%	0%	26,277	60%	0%
2	R	Adenocarcinoma with variants of vulva and vagina	1,112	74%	1%	1,112	53%	2%	1,112	46%	2%
2	R	Paget s disease of vulva and vagina	744	99%	1%	744	92%	2%	744	88%	2%
2	R	Undifferentiated carcinoma of vulva and vagina	85	53%	6%	85	32%	6%	85	26%	6%
1	R	TROPHOBLASTIC TUMOUR OF PLACENTA	361	93%	1%	361	90%	2%	361	89%	2%
2	R	Choriocarcinoma of placenta	350	94%	1%	350	91%	2%	350	90%	2%
1	С	EPITHELIAL TUMOURS OF PROSTATE	851,739	95%	0%	851,739	88%	0%	851,739	84%	0%
2	С	Adenocarcinoma with variants of prostate	762,360	97%	0%	762,360	92%	0%	762,360	88%	0%
2	R	Squamous cell carcinoma with variants of prostate	287	64%	3%	287	45%	4%	287	41%	4%
2	R	Infiltrating duct carcinoma of prostate	7,945	95%	0%	7,945	85%	1%	7,945	79%	1%
2	R	Transitional cell carcinoma of prostate	941	78%	2%	941	63%	2%	941	58%	2%
2	R	Salivary gland type tumours of prostate	118	91%	3%	118	79%	5%	118	78%	8%
1	R	TESTICULAR AND PARATESTICULAR CANCERS	51,011	97%	0%	51,011	95%	0%	51,011	95%	0%
2	R	Paratesticular adenocarcinoma with variants	22	88%	7%	22	80%	10%	22	82%	10%
2	R	Non seminomatous testicular cancer	19,714	97%	0%	19,714	94%	0%	19,714	93%	0%
2	R	Seminomatous testicular cancer	28,326	99%	0%	28,326	98%	0%	28,326	98%	0%
2	R	Spermatocytic seminoma	502	97%	1%	502 20	96%	1%	502 20	95%	2% 7%
2	R	Teratoma with malignant transformation Testicular sex cord cancer	20	100%	0%		91%	7%		91%	
2	R	EPITHELIAL TUMOURS OF PENIS	337	94%	1% 0%	337	87%	2%	337	82% 68%	3% 1%
2	R		10,210	85%	0%	10,210	72% 73%	1% 1%	10,210	69%	1%
2	R	Squamous cell carcinoma with variants of penis Adenocarcinoma with variants of penis	9,621 86	87% 72%	5%	9,621 86	57%	6%	9,621 86	49%	8%
1	C	EPITELIAL TUMOURS OF KIDNEY		75%	0%			0%		60%	0%
2	C	Renal cell carcinoma with variants	187,968 153,460	83%	0%	187,968 153,460	65% 73%	0%	187,968 153,460	68%	0%
2	R	Squamous cell carcinoma spindle cell type of kidney	153,460	85% 37%	4%	153,460	24%	3%	153,460	22%	4%
2	D	Squamous cell carcinoma with variants of kidney	514	32%	2%	514	19%	2%	514	18%	2%
1	D	EPITHELIAL TUMOURS OF PELVIS AND URETER	24,017	74%	0%	24,017	55%	0%	24,017	49%	0%
2	D	Transitional cell carcinoma of pelvis and ureter	21,607	74%	0%	21,607	58%	0%	24,017	51%	0%
4	IX	Transitional cen caremonia of pervis and dieter	21,007	//70	U%0	21,007	J670	U%0	21,007	3170	U70

2	R	Squamous cell carcinoma with variants of pelvis and ureter	366	39%	3%	366	19%	2%	366	15%	2%
2	R	Adenocarcinoma with variants of pelvis and ureter	320	69%	3%	320	49%	3%	320	43%	4%
1	R	EPITHELIAL TUMOURS OF URETHRA	2,050	76%	1%	2,050	53%	1%	2,050	44%	1%
2	R	Transitional cell carcinoma of urethra	1,387	77%	1%	1,387	53%	2%	1,387	43%	2%
2	R	Squamous cell carcinoma with variants of urethra	329	77%	2%	329	58%	3%	329	51%	4%
2	R	Adenocarcinoma with variants of urethra	189	86%	3%	189	57%	4%	189	52%	5%
1	С	EPITHELIAL TUMOURS OF BLADDER	276,936	79%	0%	276,936	65%	0%	276,936	59%	0%
2	С	Transitional cell carcinoma of bladder	243,620	82%	0%	243,620	68%	0%	243,620	63%	0%
2	R	Squamous cell carcinoma with variants of bladder	5,534	41%	1%	5,534	27%	1%	5,534	24%	1%
2	R	Adenocarcinoma with variants of bladder	4,614	68%	1%	4,614	48%	1%	4,614	42%	1%
2	R	Salivary gland type tumours of bladder	7	90%	14%	7	82%	20%	7	+	+
1	R	EPITHELIAL TUMOURS OF EYE AND ADNEXA	673	95%	1%	673	84%	2%	673	81%	2%
2	R	Squamous cell carcinoma with variants of eye and adnexa	422	97%	1%	422	90%	2%	422	89%	3%
2	R	Adenocarcinoma with variants of eye and adnexa	134	89%	3%	134	68%	5%	134	59%	5%
1	R	EPITHELIAL TUMOURS OF MIDDLE EAR	488	65%	2%	488	46%	3%	488	44%	3%
2	R	Squamous cell carcinoma with variants middle ear	370	64%	3%	370	40%	3%	370	38%	3%
2	R	Adenocarcinoma with variants of middle ear	50	89%	5%	50	84%	7%	50	84%	7%
1	R	MALIGNANT MESOTHELIOMA	32,330	38%	0%	32,330	10%	0%	32,330	5%	0%
2	R	Mesothelioma of pleura and pericardium	27,893	39%	0%	27,893	9%	0%	27,893	5%	0%
2	R	Mesothelioma of peritoneum and tunica vaginalis	1,965	34%	1%	1,965	18%	1%	1,965	13%	1%
1	С	MALIGNANT SKIN MELANOMA	216,317	95%	0%	216,317	88%	0%	216,317	84%	0%
2	С	Malignant skin melanoma	216,317	95%	0%	216,317	88%	0%	216,317	84%	0%
1	R	MALIGNANT MELANOMA OF MUCOSA	2,277	63%	1%	2,277	30%	1%	2,277	20%	1%
2	R	Malignant melanoma of mucosa	2,277	63%	1%	2,277	30%	1%	2,277	20%	1%
1	R	MALIGNANT MELANOMA OF UVEA	10,872	95%	0%	10,872	81%	0%	10,872	71%	1%
2	R	Malignant melanoma of uvea	10,872	95%	0%	10,872	81%	0%	10,872	71%	1%
1	С	EPITHELIAL TUMOURS OF SKIN	837,895	100%	0%	837,895	99%	0%	837,895	99%	0%
2	С	Basal cell carcinoma of skin	634,953	101%	0%	634,953	101%	0%	634,953	102%	0%
2	С	Squamous cell carcinoma with variants of skin	221,487	98%	0%	221,487	93%	0%	221,487	90%	0%
1	R	ADNEXAL CARCINOMA OF SKIN	4,661	96%	0%	4,661	90%	1%	4,661	86%	1%
2	R	Adnexal carcinoma of skin	4,661	96%	0%	4,661	90%	1%	4,661	86%	1%
1	R	NEUROBLASTOMA AND GANGLIONEUROBLASTOMA	1,553	87%	1%	1,553	70%	1%	1,553	65%	1%
2	R	Neuroblastoma e ganglioneuroblastoma	1,553	87%	1%	1,553	70%	1%	1,553	65%	1%
1	R	NEPHROBLASTOMA	1,936	96%	0%	1,936	90%	1%	1,936	88%	1%
2	R	Nephroblastoma	1,936	96%	0%	1,936	90%	1%	1,936	88%	1%
1	R	RETINOBLASTOMA	801	99%	0%	801	97%	1%	801	96%	1%
2	R	Retinoblastoma	801	99%	0%	801	97%	1%	801	96%	1%
1	R	HEPATOBLASTOMA	352	86%	2%	352	79%	2%	352	77%	2%
2	R	Heatoblastoma	352	86%	2%	352	79%	2%	352	77%	2%
1	R	PLEUROPULMONARY BLASTOMA	9	78%	14%	9	67%	16%	9	53%	17%
2	R	Pleuropulmonary blastoma	9	78%	14%	9	67%	16%	9	53%	17%
1	R	PANCREATOBLASTOMA	35	67%	8%	35	43%	9%	35	34%	9%
2	R	Pancreatoblastoma	35	67%	8%	35	43%	9%	35	34%	9%
1	R	OLFACTORY NEUROBLASTOMA	489	81%	2%	489	69%	2%	489	64%	3%
2	R	Olfactory neuroblastoma	489	81%	2%	489	69%	2%	489	64%	3%
1	R	ODONTOGENIC MALIGNANT TUMOURS	69	77%	5%	69	65%	7%	69	62%	7%
2	R	Odontogenic malignant tumours	69	77%	5%	69	65%	7%	69	62%	7%
1	K	EXTRAGONADAL GERM CELL TUMOURS	1,851	82%	1%	1,851	72%	1%	1,851	70%	1%
2	K	Non seminomatous germ cell tumours	909	77%	1%	909	65%	2%	909	62%	2%
2	K	Seminomatous germ cell tumors	130	93%	2%	130	89%	3%	130	86%	4%

2	R	Germ cell tumors of Central Nervous System (CNS)	572	91%	1%	572	86%	2%	572	83%	2%
1	R	SOFT TISSUE SARCOMA	72,696	77%	0%	72,696	62%	0%	72,696	57%	0%
2	R	Soft tissue sarcoma of head and neck	4,062	80%	1%	4,062	66%	1%	4,062	60%	1%
2	R	Soft tissue sarcoma of limbs	17,094	88%	0%	17,094	73%	0%	17,094	68%	0%
2	R	Soft tissue sarcoma of superficial trunk	7,723	71%	1%	7,723	54%	1%	7,723	48%	1%
2	R	Soft tissue sarcoma of mediastinum	457	47%	2%	457	28%	2%	457	23%	2%
2	R	Soft tissue sarcoma of heart	203	46%	4%	203	17%	3%	203	14%	3%
2	R	Soft tissue sarcoma of breast	2,864	92%	1%	2,864	79%	1%	2,864	75%	1%
2	R	Soft tissue sarcoma of uterus	8,568	75%	0%	8,568	58%	1%	8,568	52%	1%
2	R	Other soft tissue sarcomas of genitourinary tract	3,107	70%	1%	3,107	55%	1%	3,107	50%	1%
2	R	Soft tissue sarcoma of viscera	5,915	62%	1%	5,915	48%	1%	5,915	42%	1%
2	R	Soft tissue sarcoma of paratestis	510	96%	1%	510	91%	2%	510	87%	3%
2	R	Soft tissue sarcoma of retroperitoneum and peritoneum	4,854	69%	1%	4,854	48%	1%	4,854	39%	1%
2	R	Soft tissue sarcoma of pelvis	3,064	71%	1%	3,064	53%	1%	3,064	47%	1%
2	R	Soft tissue sarcoma of skin	4,728	97%	0%	4,728	93%	1%	4,728	90%	1%
2	R	Soft tissue sarcoma of paraorbit	115	84%	4%	115	76%	5%	115	63%	6%
2	R	Soft tissue sarcoma of brain and other parts of nervous system	2,695	76%	1%	2,695	60%	1%	2,695	54%	1%
2	R	Embryonal rhabdomyosarcoma of soft tissue	825	88%	1%	825	72%	2%	825	66%	2%
2	R	Alveolar rhabdomyosarcoma of soft tissue	515	78%	2%	515	42%	2%	515	36%	2%
2	R	Ewing's sarcoma of soft tissue	992	74%	1%	992	51%	2%	992	45%	2%
1	R	BONE SARCOMA	13,216	83%	0%	13,216	65%	0%	13,216	59%	1%
2	R	Osteogenic sarcoma	3,282	80%	1%	3,282	59%	1%	3,282	51%	1%
2	R	Chondrogenic sarcomas	4,060	87%	1%	4,060	75%	1%	4,060	70%	1%
2	R	Notochordal sarcomas, chordoma	1,127	88%	1%	1,127	75%	1%	1,127	60%	2%
2	R	Vascular sarcomas	129	66%	4%	129	48%	5%	129	45%	5%
2	R	Ewing's sarcoma	1,932	85%	1%	1,932	59%	1%	1,932	53%	1%
2	R	Epithelial tumours, adamantinoma	210	93%	2%	210	91%	3%	210	87%	3%
2	R	Other high grade sarcomas (fibrosarcoma, malignant fibrous histiocytoma)	302	70%	3%	302	54%	3%	302	46%	3%
1	R	GASTROINTESTINAL STROMAL SARCOMA	4,781	89%	1%	4,781	79%	1%	4,781	72%	1%
2	R	Gastrointestinal stromal sarcoma	4,781	89%	1%	4,781	79%	1%	4,781	72%	1%
1	R	KAPOSI'S SARCOMA	3,830	85%	1%	3,830	81%	1%	3,830	79%	1%
2	R	Kaposi's sarcoma	3,830	85%	1%	3,830	81%	1%	3,830	79%	1%
1	R	NEUROENDOCRINE TUMOURS	54,331	71%	0%	54,331	59%	0%	54,331	54%	0%
2	R	Well differentiated not functing endocrine carcinoma of pancreas and digestive system	15,656	86%	0%	15,656	77%	0%	15,656	72%	0%
2	R	Well differentiated functing endocrine carcinoma of pancreas and digestive system	407	83%	2%	407	70%	3%	407	61%	3%
2	R	Poorly differentiated endocrine carcinoma of pancreas and digestive system	10,456	56%	1%	10,456	40%	1%	10,456	35%	1%
2	R	Mixed endocrine-exocrine carcinoma of pancreas and digestive system	141	51%	4%	141	32%	4%	141	26%	5%
2	R	Endocrine carcinoma of thyroid gland	3,793	93%	0%	3,793	87%	1%	3,793	84%	1%
2	R	Neuroendocrine carcinoma of skin	2,997	80%	1%	2,997	62%	1%	2,997	56%	1%
2	R	Typical and atypical carcinoid of the lung	6,058	91%	0%	6,058	85%	1%	6,058	81%	1%
2	R	Neuroendocrine carcinoma of other sites	13,958	48%	0%	13,958	30%	0%	13,958	24%	0%
2	R	Pheochromocytoma, malignant	612	84%	2%	612	75%	2%	612	70%	2%
2	R	Paraganglioma	342	77%	2%	342	64%	3%	342	56%	3%
1	R	CARCINOMAS OF PITUITARY GLAND	511	74%	2%	511	68%	2%	511	64%	3%
2	R	Carcinoma of pituitary gland	511	74%	2%	511	68%	2%	511	64%	3%
1	R	CARCINOMAS OF THYROID GLAND	78,533	93%	0%	78,533	91%	0%	78,533	90%	0%
2	R	Carcinoma of thyroid gland	78,533	93%	0%	78,533	91%	0%	78,533	90%	0%
1	R	CARCINOMAS OF PARATHYROID GLAND	395	91%	2%	395	86%	2%	395	81%	3%
2	R	Carcinoma of parathyroid gland	395	91%	2%	395	86%	2%	395	81%	3%
1	R	CARCINOMA OF ADRENAL GLAND	3,103	54%	1%	3,103	38%	1%	3,103	32%	1%

2	R	Carcinoma of adrenal gland	3,103	54%	1%	3,103	38%	1%	3,103	32%	1%
1	С	TUMOURS OF CENTRAL NERVOUS SYSTEM (CNS)	108,752	42%	0%	108,752	24%	0%	108,752	20%	0%
2	R	Astrocytic tumours of CNS	77,195	41%	0%	77,195	19%	0%	77,195	15%	0%
2	R	Oligodendroglial tumours of CNS	6,124	80%	1%	6,124	62%	1%	6,124	52%	1%
2	R	Ependymal tumours of CNS	3,190	87%	1%	3,190	77%	1%	3,190	73%	1%
2	R	Neuronal and mixed neuronal-glial tumors	74	74%	5%	74	53%	6%	74	49%	7%
2	R	Choroid plexus carcinoma of CNS	95	70%	5%	95	58%	5%	95	58%	5%
2	R	Malignant meningiomas	2,509	77%	1%	2,509	66%	1%	2,509	61%	1%
1	R	EMBRYONAL TUMORS OF CENTRAL NERVOUS SYSTEM (CNS)	3,092	81%	1%	3,092	63%	1%	3,092	56%	1%
2	R	Embryonal tumors of CNS	3,092	81%	1%	3,092	63%	1%	3,092	56%	1%
1	C	LYMPHOID DISEASES	444,916	77%	0%	444,916	65%	0%	444,916	58%	0%
2	R	Hodgkin lymphoma, classical	38,389	91%	0%	38,389	85%	0%	38,389	81%	0%
2	R	Hodgkin lymphoma nodular lymphocyte predominance	1,507	98%	0%	1,507	95%	1%	1,507	94%	1%
2	R	Precursor B/T lymphoblastic leuk/lymphoma (and Burkitt leukemia/lymphoma)	22,496	74%	0%	22,496	62%	0%	22,496	58%	0%
2	R	T cutaneous lymphoma (Sezary syn, Mycosis fung)	5,482	92%	0%	5,482	85%	1%	5,482	82%	1%
2	R	Other T cell lymphomas and NK cell neoplasms	9,635	60%	1%	9,635	44%	1%	9,635	39%	1%
2	R	Diffuse B lymphoma	67,907	69%	0%	67,907	57%	0%	67,907	53%	0%
2	R	Follicular B lymphoma	34,545	93%	0%	34,545	84%	0%	34,545	77%	0%
2	R	Hairy cell leukaemia	4,387	94%	0%	4,387	91%	1%	4,387	90%	1%
2	R	Plasmacytoma/Multiple Myeloma (and Heavy chain diseases)	86,496	71%	0%	86,496	49%	0%	86,496	35%	0%
2	С	Other non Hodgkin, Mature B cell lymphoma	97 , 389	88%	0%	97 , 389	77%	0%	97 , 389	68%	0%
2	R	Mantle cell lymphoma	8,797	80%	0%	8,797	57%	1%	8,797	44%	1%
2	R	Prolymphocytic leukaemia, B cell	788	58%	2%	788	39%	2%	788	31%	2%
1	R	ACUTE MYELOID LEUKEMIA AND RELATED PRECURSOR NEOPLASMS	56,709	39%	0%	56,709	22%	0%	56,709	19%	0%
2	R	Acute promyelocytic leukemia (AML) with t(15;17) with variants	1,880	72%	1%	1,880	66%	1%	1,880	63%	1%
2	R	Acute myeloid leukemia	52,305	37%	0%	52,305	21%	0%	52,305	17%	0%
1	R	MYELOPROLIFERATIVE NEOPLASMS	50,624	86%	0%	50,624	75%	0%	50,624	68%	0%
2	R	Chronic myeloid leukemia	16,599	77%	0%	16,599	62%	0%	16,599	55%	0%
2	R	Other myeloproliferative neoplasms	33,599	91%	0%	33,599	82%	0%	33,599	75%	0%
2	R	Mast cell tumour	454	88%	2%	454	79%	2%	454	71%	3%
1	R	MYELODYSPLASTIC SYNDROME AND MYELODYSPLASTIC/MYELOPROLIFERATIVE DISEASES	37,792	67%	0%	37,792	43%	0%	37,792	31%	0%
2	R	Myelodysplastic syndrome with 5q syndrome	178	85%	3%	178	64%	4%	178	48%	6%
2	R	Other myelodysplastic syndrome	32,576	68%	0%	32,576	44%	0%	32,576	32%	0%
2	R	Chronic Myelomonocytic leukemia	4,575	60%	1%	4,575	34%	1%	4,575	21%	1%
2	R	Atypical chronic myeloid leukemia BCR/ABL negative	248	68%	3%	248	39%	4%	248	28%	4%
1	R	HISTIOCYTIC AND DENDRITIC CELL NEOPLASMS	817	75%	2%	817	65%	2%	817	60%	2%
2	R	Histiocytic malignancies	645	77%	2%	645	67%	2%	645	63%	2%
2	R	Lymph node accessory cell tumors	172	68%	4%	172	54%	4%	172	46%	5%